Being, Bending, Bouncing Back Becoming Resilient

Joan Somes PhD, RN-BC, CEN, CPEN, FAEN, NRP

1

I have no disclosures or conflicts of interest related to this topic. Currently employed as a "casual" critical care educator by Regions Hospital EMS. Previously worked as an emergency dept. nurse for 40 years and EMT/paramedic for 12 years.








The caring heart of care – givers exposes them to suffering.
Repeated exposures leads to stress and an impact on the physical, emotional, & psychological health of the care-giver

Because of their compassionate nature, caregivers tend to say "yes", even when internal resources are low.
This may lead to loss of balance between caring for others and adequate self-care.

A.K.A. STRESS








Repeated stressful incidents and internal struggles to make "right" choice can lead to feelings of unbalance

- Stories of, or actual violence being inflicted
- Witnessing traumatic events
- Fear of harm physical, verbal,
 emotional
- Ill, or dying family, coworkers
- Lack of support work, home, friends
- Overwhelming demands at work

9

Often one does not even realize they are experiencing stress.

Day to day decisions wear people down, out, and overwhelmed



Decisions, Decisions!

Coke or Pepsi?
What flavor jelly?
Star Trek or Hogan's Heroes?
Turn on the heat, or put on a sweater?
Why is she saying that about me?
Take a break or keep working?
Spend the money or put it in IRA?
Go faster on yellow or hit the brakes?
Quit my job or put up with the boss?

11


During stress the body is urged into a sense of readiness.



Channeled, this energy can be used to cope.

If unable to channel, it leads to destruction of body!

Readiness leads to release of stress hormones



- Epinephrine
- ⋄ Norepinephrine
- ♦ Cortisol
- ⋄ Aldosterone


13

These hormones lead to:

- ♦ Sympathetic response
- ♦ Flight or fight
- ♦ Distress



Fragility
bility to restore balance can be overwhelmed by const tional arousal, thus one needs to have or develop resi



Certain behaviors should raise red flags!

- Physical symptoms
- ♦ Mental signs
- ♦ Emotional behavior
- ♦ Exhaustion
- Helplessness
- Feelings of inadequacy
- Distancing from others
- Decreased sense of accomplishment



Physical Signs & Symptoms

- ♦ Headache
- Digestive problems
- ♦ Muscle tension
- Sleep disturbances
- ◆ Fatigue
- Cardiac symptoms (pain, pressure, palpitations, etc)



17

Emotional Signs & Symptoms

- Mood swings
- Lack of joyfulness
- Restlessness
- ◊ Irritability
- Oversensitivity
- ♦ Anxiety
- Depression
- Loss of objectivity
- ♦ Anger/resentment

- Memory issues
- Poor concentration, focus, judgment
- Excessive use of substances (drugs, alcohol, nicotine)




Other Signs & Symptoms

- Emotional exhaustion –
- Depersonalization ↑irritability, sadness, hopeless, and sense of despair
- Personal accomplishments –
 Absenteeism, frustration, inefficiency on job, decreased satisfaction, thoughts of quitting, and lack of dedication to job




19

Fatigue - (unmet body needs)



- Lack of adequate cellular nutrition leads to exhaustion:
 - physical
 - mental
 - emotional

Mind function



- Focus on work is compromised
- Attention span reduced
- Retention of info is limited
- Decision making is harder

21

Anger - (unmet expectations)



Manifestations of anger

- somatizer
- self-punisher
- exploder
- underhander

Self-esteem - (unmet + feedback)



Develop psychosocial behaviors related to:

- Connectedness
- Uniqueness
- Empowerment
- Role models

23

Other signs

- **Seen** ... Excessive blaming
- Bottled up emotions
- Compulsive behaviors
- Legal problems
- Apathy
- ♦ Pre-occupied
- Denial about problems
- Poor self care (hygiene)
- Voices/receives excessive complaints



When stress is "related to work





Intrusion

Recurring thoughts about patients
Dreams about work/patients
Sense of reliving event over & over

Avoidance

Avoiding certain patients
Staying away from crowds & people
Inability to remember patient info
Disconnected from others
Lack of emotions
Not wanting to do anything

Arousal

Sleep disturbances Irritability & Inability to focus Nervous and agitated

25

Other symptoms*

- ♦ Breaking of rules
- Outbreaks of aggressic
- Non-completion of tag
- Lack of respect for dea
- Negativity toward management
- Strong reluctance toward change
- Belief that improvement is impossible
- Lack of vision for the future


*May be individual Or the whole team!



f a Stress Check
How many do
:heck? Guilt
_ Frequent colds
_ Easil <mark>y irrit</mark> ated Overeat
_ Shop a lot
_ Canker sores
28




Stress can leave you




- Physically exhausted
- Mentally paralyzed
- ♦ Emotionally drained

resilience & potentially help from Avoidance or dether interacting w people Reduced ability to feel empathy Frequent use of sick da



Resilience Helps Deal with Stress Burn out Brown out Secondary stress Compassion fatigue Any of the "badness" from these

syndromes



Developing resilience Consider ~ Is this you?


- Upset over many things?
- Look at change as disrupting
- Stay stuck in a rut?
- Once I get this done?
- Reject all negative feedback
- Use rare quiet moments to ruminate worried and resentful, bored, lost?
- Live in past or fantasize when finally able to do "big things"?

Developing resilience


Consider ~ do you do these things?

Naste time on trivial?

- Replace passion with duty?
- ♦ Belittle our talents/strengths?
- Forgotten value of simplicity
- Lost desire to be sincere & respectful?
- Fail to see quiet moments as time to reflect?
- Fail to see ahosts of past as teaching



We can
build muscle
memory on
how to be
resilient



Resilience is based on a conscious decision to maximize ways one responds to situations and openness to new experiences.

39

Decisions, Decisions!

Coke or Pepsi?
What flavor jelly?
Star Trek or Hogan's Heroes?
What color & kind of new car?
Why is she saying that about me?
Take a break or keep working?
Spend the money, or put it in IRA?
Go on yellow, or hit the brakes?
Quit my job, or put up with the boss?

Resilience

Range of resiliency created by:

a. heredity & early life experiences

b. current knowledge

c. level of motivation to *what we have the most control over meet challenges

& live to fullest*

41

Willingness to Develop

Muscles

Willing to take the
steps to appreciate,
limit, and learn
from stressors?

- Have the energy, knowledge, & time to do this?
- Willing to take the time/energy to take



burnout.

It takes work, specific steps, and repeated
practice to prevent stress from taking over a sufficient rest

Sufficient rest

Good nutrition

Good friends


Quiet/reflective

Stress cannot be prevented; but its effects can be limited & it does not have to impact us negatively if we practice the following!

- ♦ Self care
- ♦ Compassion
- Positive psycholog
- Self debriefing
- Mindfulness
- ♦ Create a resiliency profile









Burnout & the rest Perception "something" is lacking Nowledge Opportunity Op

Identify "triggers" that you know will cause you distress

- Challenges in past
- ♦ Bad experiences in past
- ♦ Fear of unknown
- What others have "fed you"
- Negative thoughts/feelings
- Just already a "bad day"



Next do positive self talk and use resiliency muscle memory

4Ω

Recognize it is what it is!

You can't un− burn toast philosophy



Humpty Dumpty

- Mmm! Omelets!

Make limeade





Don't waste time/energy worrying about: hat cannot be changed


- ⋄ what you have no control over
- change that is
- things that do really affect yo

Not wasting time/energy worrying requires: > Self - discipline

- ◇ Self management
- ♦ Self regulation
- ♦ Self consciousness
- An understanding of what causes your stress and anxiety







Breath in-Breath out-Breath out-Breath in-Breath out-Breath out-

55

Breathing is good!

Nhen stressed we often "react" with emotional side of brain — it is hard to take in data, process it, and respond rationally

of the trathe-"altiminate" to be more aware, take in more

AMYGDALA

MYGDALA

AMYGDALA

AM

During the deep breath...

- Goal setting (major and smaller)
- Visualize steps to take
- ⋄ Do positive self talk
- Continue breath control



- Rely on experiences
- Identify thinking trap pitfalls
- ♦ Decrease fears of the "what if's?"



Actions to develop resilience

- ♦ Self-regulating relax, deep breathing
- ♦ Intentionality work to be calm
- ♦ Perceptual maturation am I here?
- Connection develop sur system
- Self care rejuvenating



Developing resilience

- Recognize danger of toxic situations
 & unhelpful attitudes
- Appreciate value of reaching out, without being pulled down
- ♦ Close, balance circle of friends
- Avail yourself of silence
 solitude, & mindfulnce
- ♦ Be able to debrief your

Developing resilience

- Be fully conscious and immersed in the present moment to take in all the information being presented
- ◇ Be in tuned to all sensory information which will hell make a solid decision with all the data and not one based on a knee jerk
- Practice data gathering/sorting

Developing Resilience

- Make connections
- Avoid seeing crises
 as insurmountable
- Keep things in perspective
- ♦ Accept change
- Maintain hopeful outlook





61

Developing resilience

- Look for self discovery options
- Nurture positive view of self
- ♦ Take care of self
- Move toward goals
- ♦ Take decisive actions







Work to develop ◆ Hardiness

♦ Self-efficiency

♦ Self-esteem

◇ Optimism

Patience

⋄ Tolerance

◇ Faith

Do what you can to

increase/use these as they ♦ Adaptability

♦ Humor

lead to resilience!

Tactics to build resilience

- ◊ Talk it out
- Allow time to recha
- Have a stress free zo
- Allow saying "no"
- Nurture relationshi
- Have a goal
- Humor
- ⋄ Foster confidence
- Focus on positive
- Use kinesthetic/tactile/visual reminders to bring back to self/purpose



Strengthening resilience

- Recognize when denying psychological distress
- Be aware challenges of toxic situations & negative attitudes
- Have a balance of friends see next slide
- Internalize concepts of resilience
- Improve quality of self care &



More on Friends

A "balance of friends" includes

those who:

> Challenge

> Tease

> Support



Who can I be myself with and make/help me pok into myself? Who has helped me grow?

Quiet time in this day and age requires practice and especially muscle memory!

1. Daily debriefing or

2. Questioning of self to determine if you are having

sians/symptoms of

Daily

« sdebriefing was sessment

- Close eyes, deep breath, and clear mind
- ♦ The things "bothering" you will intrude
- Sort them, put them into perspective,
- Determine the emotion associated with them
- Be non-judgmental on these emotions
 Put them away or
- Determine if action is needed based on all information using frontal cortex



Mindfulness
Do this each day
Maybe do it twice a day
Practice, Practice, Practice!
Expand time as you become
comfortable with idea

When practicing mindfulness

- Don't "expect" just see what happens
- Don't strain or force
- Don't rush, cling, reject, fight
- ◊ Let go! Be gentle
- Investigate and question self
- View all problems as challenges
- ⋄ Don't ponder
- Don't dwell on differences

73

Other Action Options

- Adjust workload & environment
- Take training to increase self assurance

(I am efficient & can copewith.....)

- Dedicate time for relaxation & wellness
- Create culture of open communication

And yet some more!

Take time to appreciate
what you have been

- Involved, not overinvolved
- ♦ Support group
- ♦ Escape
- Be spontaneous
- Monitor for negativ wait a minute, this isn those aren't my hands.
- Check your "balance"

Don't be afraid to do a self assessment looking at your good points and "own" them!



> Talents, joys, motivations, broadening experiences, how you help others, your goals, growth, strengths, virtues, values, etc, etc, etc.

Self talk when dealing with angst

Understand your unique

♦ Be true to yourself

♦ Look for clarity


Be aware of your agenda

Face failure productively

Critically think

 Appreciate that resistance to change

Continue to work on "self talk"



Consider Resources

- Mentor/co-worker who understands norms & expectations of kit kat bar
- Employee Assistance Program
- A class on time/money management, caring for older parents, effective co ways to reduce stress
- Strategies: change shift work appointment, reducing over take time off, attend a configet involved in project of in

79

Developing Resilience Muscles

One can be compassionate in response to stressors if:

- We are aware of basic practices to contain and understand stress
- Mindful, reasonably self-aware
- Learn to maintain sense of perspective and resilience

Developing Resilience Muscles

One can be compassionate in response to stressors if:

- We understand our limits
- Learn from experience
- ♦ Relate to others
- Cultivate new ways of thinking
- ♦ React vs. respond

81

The same seeds that can grow into a stressor, can also grow into passionate involvement & self fulfillment!



In process of building muscle memories to be resilient – don't make it more stressful for your self!

83

Suggested resources

- Bounce Living the Resilient Life by Robert J. Wicks Oxford Press
- Perspective The Calm Within the Storm by Robert J. Wicks Oxford Press
- Night Call Embracing Compassion and Hope in a Troubled World by RJ Wicks Oxford Press
- "How to Harness Stress and Build Resilience in the Workplace" Veronica Ryl <u>EMSWorld</u> April 2018 p 39–45 EMSworld.com

Thanks someswasblackhole@gmail.com